

EXHIBIT A

TABLE IV

Fatty Acid Composition of Polymer as Determined by UV, PC and GLC.

Oil sample	Phoenix dactylifera										Draecoxa regia		
	v Almol					v Romly					v Sewi		
	UV	P.C.	GLC	UV	P.C.	GLC	UV	P.C.	GLC	UV	P.C.	GLC	GLC
Saturated:													
Caprylic	—	—	trace	—	—	trace	—	—	trace	—	—	trace	0.6
Capric	—	—	trace	—	—	trace	—	—	trace	—	—	trace	0.6
Lauroic	—	112	123	—	119	128	—	2.5	257	—	12.1	11.1	11.1
Myristic	—	124	114	—	106	113	—	7.5	86	—	4.4	5.3	5.3
Palmitic	—	129	123	—	118	124	—	9.4	81	—	23.7	22.7	22.7
Stearic	—	51	38	—	45	27	—	4.8	31	—	38	30	30
Total satd	437	516	396	474	393	327	459	43.6	484	4.8	42	429	429
Unsaturated:													
Palmitoleic	—	—	0.3	—	—	0.3	—	—	1.1	—	—	—	—
Oleic	754	455	477	472	495	437	471	44.4	477	382	39	343	343
Linoleic	198	129	119	104	113	113	99	83	89	173	139	173	173
Linolenic	—	—	1004	—	—	1004	—	—	1004	—	—	—	—
Total unsatd	952	587	624	576	603	603	571	336	535	552	540	570	570

This is a zero.